






System One

Milling and mounting manual

FritsJurgens Set - 40 mm Class G - stainless steel





FritsJurgens®




Milling instructions


BP.One.40.G.X.SS








TP.X.40.G.X.SS








FP.M.X.X.FS.SS






FP.M.X.X.FR.SS






Mounting instructions




FJ.MT.DT.M



FJ.MT.ZS



FJ.MT.AK3




FJ.MT.AK5x24




10x FJ.Tx.4.0X50.PKDD




FJ.Bit.Tx20





2x FJ.FP.Pe.30 2x FJ.FP.Pe.8




MT.1Fx.Mount




To.M

























ø8 mm (5/16")




ø8 mm (5/16")




ø7.5 mm (19/64")





8 mm (5/16")




8 mm (5/16")




8 mm (5/16")




30 mm (13/16")




30 mm (13/16")




30 mm (13/16")










1



2












1



2




3








1






2






























Disassembly instructions







FritsJurgens International

A. Einsteinlaan 1
The Netherlands
9615 TE Kolham
+31 598 343 410
info@fritsjurgens.com

FritsJurgens Dubai Branch

DLC-OP-A2-4-0029
Dubai South
Dubai
United Arab Emirates
+971 4 820 8106
+971 58 137 2611
dubai@fritsjurgens.com
fritsjurgens.com

Copyright © FritsJurgens®
BP.One.40.G.X.SS



